


interior felt



Décor Tiles

1 Overview

6 Installation

7 Color Range

8 Specifications

Overview

1 — Overview

With forty colors, nine standard shapes, plus our ability to do custom CNC cutting, our Décor Tiles are functional, flexible, and beautiful.

Let your imagination soar knowing that whatever you design is as simple to install as gluing the Décor Tiles to the wall. With exposed edges and a charcoal-gray semi-rigid core, assembling patterns with a uniform surface is painless.

Whether filling a room or working at mural scale, our Décor Tiles can be tailored to your vision.





UBC Totem Commons


Featured Colors:

154 Teal

382 Pebble Gray

384 Charcoal

At the University of British Columbia in Vancouver, Interior Felt worked with the design firm PUBLIC Architecture + Communication to craft a custom pattern of our hexagonal felt Décor Tiles that brightens the Totem Commons. Not only does the wool felt give the space a softer finish, but it also dampens noise generated by hectic student life.



Principle

Featured Colors:


- 152 Olive
- 154 Teal
- 161 Glacier
- 162 Arctic Blue
- 163 Midnight
- 164 Electric Blue
- 251 Meadow Green
- 312 Raw White
- 381 Concrete Gray
- 382 Pebble Gray

Principle manages and implements consistent brand environments for major corporations. When it needed acoustic control in its own Mexico City office, we collaborated with the design team to bring to life bright, geometric patterns using our triangular and hexagonal felt Décor Tiles.

Dimensions & Details

Our Décor Tiles are available in 9 standard shapes, sold in sets per color. They can also be cut into custom shapes out of the 48" x 96" maximum, the design possibilities are boundless.

Standard Shapes



Side Elevation



Summary


- Thickness**
 - Total thickness: 0.375" / 9mm (nominal)
 - 100% Wool Designer Felt: 0.118" / 3mm (nominal)
 - Core thickness: 0.25" / 6mm (nominal)
- Standard Sizes**
 - Maximum dimensions: 48" W x 96" H
 - Custom sizes upon request.
- Edge Detail**
 - Charcoal-gray exposed edge
- Custom**
 - For custom shapes please inquire.
- Acoustics**
 - NRC estimated up to 0.60 - 0.65
- Flammability**
 - Test reports available upon request.

*Standard Shapes are sold in sets per color.

Décor Tiles Installation


Décor Tiles are simple to install. We recommend a glue direct application. Tiles can be installed with spacing set between each tile or placed edge-to-edge for a smoother transition.

Installation




Apply appropriate adhesive* to substrate and place the Décor Tiles in the desired configuration. Be mindful of the exposed edges.

Edge-to-Edge Installation

















Border Installation



*Installer must choose adhesive specific to substrate and on-site conditions.

Wool Designer Felt




Custom

We collaborate with designers and architects, offering our expertise to guide ideas from concept to creation through the unique possibilities of wool felt. As a non-woven material, felt lends itself to intricacy and elegance beyond the reach of other textiles—an ideal medium for refined, expressive design in a soft finish.


Custom thickness and colors available upon request.

Décor Tiles Specifications




Content

100% Wool Designer Felt
Charcoal-gray semi-rigid PET core



Panel Thickness

Total thickness: 0.375" / 9mm (nominal)
100% Wool Designer Felt thickness:
0.118" / 3mm (nominal)
Core thickness: 0.25" / 6mm (nominal)



Standard Sizes

Wide selection of standard shapes and sizes in predetermined sets. See page 5 - Overview for more detail.

*All dimensions nominal / Custom sizes and shapes available on request.



Unit of Sale

Sold by unit - Unit of measurement: Each



Weight

Approximately 0.6 lbs per square foot.



Durability

Contract



Edge Detail

Charcoal-gray exposed edge



Lead Time

All product is made to order.
Please inquire for current lead times.



Installation

Glue Direct



Custom

Custom shapes and sizes available to maximum dimensions: 48" x 96". Please inquire for more information.



Acoustics

Noise Reduction Coefficient - NRC estimated up to 0.60 - 0.65

Décor Tiles Specifications



Environmental

100% Wool Designer Felt



Oeko-Tex® Standard
100 Product Class



LEED® Credit
Contributor
Biodegradable



100%
VOC Free

Declare.

LBC
Red List Free



Colorfastness to Light

Class 4-5



Flammability

Reports available upon request.



Variation

With wool felt being a natural material there may be natural variation within the material. This may include rare colored dots known as Smit Marks, color variation due to the natural wool color variation and the absorption of dyes, or fine vegetable matter. Complete color consistency is not guaranteed nor can it be expected, however if particular areas of a project site require higher consistency please inform us well in advance and we can do our best to accommodate by supplying similar dye lots when possible.

Décor Tiles Specifications



Maintenance

Handle with care. To remove any accumulation of airborne particles, Interior Felt products can be occasionally vacuumed with an upholstery brush, brushed by hand or with a lint brush or roller. When dusting, it is normal to encounter a slight shedding of fibers. These loosened fibers are not a sign of any defect and will decrease over time.

Wet spills should be blotted up as soon as possible with a dry cloth. All wool fibers have a naturally-occurring fatty coating called lanolin. This substance makes wool water-repellent and provides inherent stain resistance. Felt is not waterproof, but its inherent resistance to liquids creates some delay time before spills soak through and cause a stain.

Other wet spills may be spot cleaned with warm water or a mild dry-cleaning solvent. Clean soiled areas gingerly to avoid warping the felted surface.

Helpful Tips:

We strongly recommend testing any cleaning method on spare material or less visible areas first.

In addition to occasional dusting, felt products may need to be vacuumed once per year.

If stains cannot be removed with spot cleaning, we recommend seeking professional dry cleaning services that have experience with wool.

interior felt

Contact

1844 312 3358
sales@interiorfelt.com
interiorfelt.com

Our Headquarters

2559 Wharton Glen Ave.,
Mississauga, Ontario
L4X 2A8, Canada

Our US Office

1971 Abbott Rd., Bay 2
Lackawanna, New York
14218, USA

Our Warehouse

1735 Mattawa Ave., Unit 2
Mississauga, Ontario
L4X 1K5, Canada

